

***Change of Company name
on
Certificate of Conformance***

Oct 21,2021

Lincstech Co., Ltd.

Lincstech

***Change of company name label* Lincstech**

2

Item	Shimodate works
Label (Inner packing)	Ex. factory From Nov 1 st 2021
Notice Label (Outer packing)	Ex. factory From Nov 1 st 2021
Final Inspection report (COC)	Ex. factory from Nov 1 st 2021

* There is a possibility that some items to effective date will change due to our circumstances(stock, pull-in, pull-out etc.). In this case Please note that each person in charge will inform you in advance.


* Shipping mark (Outer packing) is no change.

We would like to announce the change of company name on COC as followings,

□ Change of company name

Showa Denko Materials Co., Ltd.(PWB dept.)→Lincstech Co., Ltd.
Showa Denko Materials Electronics Co.,Ltd. (PWB mfg. company)
→ Lincstech Circuit Co., Ltd.

□ Change on COC document (Displayed on top-right of document)



□ Timing of the change

- Company name on all COC will be changed from Nov.1st,2021.
- We would like to ask your kind acceptance of the change ahead of the date as for our transition, planning of the change from Nov.1st 2021.

【Before】

品名: #VALUE!

数量: 0 枚


本MLBは、アルミ袋に入れた状態で
2020年10月9日 までにご使用ください。

取り扱い注意事項

1. 高温、多湿の場所での保管は避けてください。
2. アルミ梱包開封後は、なるべく早くご使用願います。
例: 30°C、85%の条件下では、およそ1週間が限界です。
3. アルミ梱包開封後、再度保管する場合は、必ずアルミ袋に収納し、アルミ袋はテープ等で密閉して下さい。
4. ご使用期限を過ぎた場合は、脱湿処理を行ってからご使用願います。
脱湿処理推奨条件は、130°C、2時間以上です。

昭和電工マテリアルズ株式会社

Image for illustrative purposes only. They may differ slightly from the actual images.



~2021/10/31 Ex. factory

【After】

品名: #VALUE!


数量: 0 枚

本MLBは、アルミ袋に入れた状態で
2020年10月9日 までにご使用ください。

取り扱い注意事項

1. 高温、多湿の場所での保管は避けてください。
2. アルミ梱包開封後は、なるべく早くご使用願います。
例: 30°C、85%の条件下では、およそ1週間が限界です。
3. アルミ梱包開封後、再度保管する場合は、必ずアルミ袋に収納し、アルミ袋はテープ等で密閉して下さい。
4. ご使用期限を過ぎた場合は、脱湿処理を行ってからご使用願います。
脱湿処理推奨条件は、130°C、2時間以上です。

リンクステック株式会社



2021/11/1 Ex. factory~

Image for illustrative purposes only. They may differ slightly from the actual images.

~2021/10/31 Ex. factory 【Before】

一本製品を輸出する際の注意事項一

本製品は、外国為替及び外国貿易管理法の規定により、本製品の用途によっては、規制貨物等輸出規制品に該当することがあります。従って、該当品を日本国外に持ち出す際には、日本国政府の輸出許可申請等必要な手続きをお取り下さい。

日立化成株式会社

2021/11/1 Ex. factory~

【After】

一本製品を輸出する際の注意事項一

本製品は、外国為替及び外国貿易管理法の規定により、本製品の用途によっては、規制貨物等輸出規制品に該当することがあります。従って、該当品を日本国外に持ち出す際には、日本国政府の輸出許可申請等必要な手続きをお取り下さい。

リンクステック株式会社